P-05S Safety harness

EN 358, EN 361

SPECIAL FEATURES

Suitable for explosion-hazard zones

Protection for maximum user's weight of 140 kg (with equipment and tools)

PIMS - you can order a product additionally equipped with an RFID transponder (NFC)

PARAMETERS

Color	yellow-blue

TAPES

Material	polyester
Width	45 mm

THREADS

Material	polyester

CONNECTING AND ADJUSTING BUCKLES

Material	galvanized steel

ADJUSTING BUCKLES

Material	galvanized steel

Type	manual buckle

ATTACHMENT BUCKLE

Material	galvanized steel

CHEST BUCKLE

Material	plastic

PROTEKT Grzegorz Laszkiewicz Spolka z o.o. Starorudzka 9, 93-403 Lodz, POLAND
KRS: 0001009727 | REGON: 524047958 | NIP: 7292747932

WWW.PROTEKT.PL

EXPORT SALES DEPARTMENT Skromna 6, 93-405 Lodz, POLAND
Phone: +48 42 29 29 500, export@protekt.com.pl, Fax +48 42 680-20-93

P-05S Safety harness

VARIANTS

ref. no.	size
AB10502	S
AB10502	M - XL
AB10502	XXL
AB10502	XXXL

FIGURES



DIMENSIONS

	W	H	C	T
S	75 - 110 cm	155 - 170 cm	70 - 90 cm	40 - 60 cm
M-XL	85 - 100 cm	164 - 180 cm	85 - 120 cm	50 - 75 cm
XXL	100 - 130 cm	180 - 195 cm	90 - 140 cm	60 - 85 cm
XXXL	110 - 140 cm	190 - 210 cm	95 - 150 cm	75 - 100 cm

PROTEKT®

PROTEKT Grzegorz Laszkiewicz Spolka z o.o. Starorudzka 9, 93-403 Lodz, POLAND
KRS: 0001009727 | REGON: 524047958 | NIP: 7292747932

WWW.PROTEKT.PL

EXPORT SALES DEPARTMENT Skromna 6, 93-405 Lodz, POLAND
Phone: +48 42 29 29 500, export@protekt.com.pl, Fax +48 42 680-20-93

P-05S Safety harness

PHOTOS 360 (ROTATING)